

ZEPHIRO BUB SMOKE 6


SMOKE BUBBLE MACHINE

The **Zephiro Bub-Smoke 6** is a cutting-edge hybrid atmospheric effects machine engineered to simultaneously produce bubbles and fog, creating striking smoke-filled bubbles for powerful, high-impact visual experiences.

Designed for professional application, including live events, stage performances, theme parks, and broadcast productions, it combines a sophisticated dual-fluid system with an advanced RGBUV LED lighting array and versatile multi-protocol control compatibility.

Its robust all-metal housing ensures exceptional durability, while the high-efficiency heating system delivers rapid warm-up times for immediate readiness. Compact yet powerful, the Zephiro Bub-Smoke 6 is built for consistent performance in dry, well-ventilated indoor environments as well as controlled outdoor settings.

Operating exclusively with certified, non-toxic, and non-flammable fog fluids, it guarantees safe and reliable use in any approved environment. Free from open flames and hazardous residues, it offers a clean and safe alternative to traditional pyrotechnic effects, combining safety, versatility, and creative freedom in a single professional-grade unit.



PRODUCT DETAILS

Key features

Smoke-Filled Bubble Effect delivers a unique high-impact visual experience

Dual Output Modes allow operation in bubbles or smoke-filled bubbles

RGBUV LED Lighting provides dynamic illumination with 10 vibrant colors

DMX512 & Wireless Control ensures flexible and professional remote management

Rapid Heat-Up System enables the machine to be ready in just 1-2 minutes

Dual Fluid Tank System offers extended runtime with efficient recirculation

Heavy-Duty Metal Housing guarantees durability and long-lasting performance

Indoor & Outdoor Ready ensures reliable use in multiple controlled environments

Low-Residue Operation produces clean effects with minimal residue

Professional Stage Performance makes it ideal for live shows and events

Specifications

Input Voltage	AC220-240V, 50Hz
Power Consumption	600W
Heat-Up Time	1-2 minutes
Ambient Temperature	5° - 50°C (41° - 122°F)
Fog jet direction	Horizontal
Control Mode	Manual, Wireless Remote Control, DMX
LEDs Type	6x 8W LED (RGBUV 4-in-1)
Power Connectors	Europlug to PowerCon
Fuse	12A
Fluid type	Non-hazardous, distilled water-based(both Fog and Bubbles liquids)
Tank Capacity	2x 1.5 L
Material	Metal
Fixture Dimensions (WxDxH)	420 x 320 x 555 mm(16.53 x 12.60 x 21.85 in.)
Packing Dimensions (WxDxH)	500 x 400 x 610 mm(19.69 x 15.75 x 24.02 in.)
Product Weight	17.3 kg - 38.14 lbs.
Package Weight	19.3 kg - 42.55 lbs.